


PageSpeed Insights

Mobile



23 / 100 Speed

Should Fix:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 200.2KiB (75% reduction).

- Compressing <http://naghashi95.ir/> could save 97.1KiB (88% reduction).
- Compressing <http://naghashi95.ir/wp-includes/js/jquery/jquery.js?ver=1.12.4> could save 61.9KiB (65% reduction).
- Compressing <http://naghashi95.ir/wp-content/themes/canary/style.css> could save 23.6KiB (76% reduction).
- Compressing <http://naghashi95.ir/wp-includes/js/wp-emoji-release.min.js?ver=4.8.1> could save 7.4KiB (63% reduction).
- Compressing <http://naghashi95.ir/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>

Mobile

could save 5.9KiB (60% reduction).

- Compressing <http://naghashi95.ir/wp-content/themes/canary/assets/css/rtl.css> could save 1.5KiB (68% reduction).
- Compressing <http://naghashi95.ir/wp-content/themes/canary/assets/css/responsive.css> could save 1.5KiB (67% reduction).
- Compressing <http://naghashi95.ir/wp-content/themes/canary/assets/js/main.js> could save 740B (62% reduction).
- Compressing <http://naghashi95.ir/wp-includes/js/wp-embed.min.js?ver=4.8.1> could save 647B (47% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 3 blocking script resources and 4 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://naghashi95.ir/wp-includes/js/jquery/jquery.js?ver=1.12.4>
- <http://naghashi95.ir/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>
- <http://naghashi95.ir/wp-content/themes/canary/assets/js/main.js>

[Optimize CSS Delivery](#) of the following:

- <https://maxcdn.bootstrapcdn.com/font-awesome/4.5.0/css/font-awesome.min.css?ver=2.1.3>
- <http://naghashi95.ir/wp-content/themes/canary/style.css>
- <http://naghashi95.ir/wp-content/themes/canary/assets/css/responsive.css>
- <http://naghashi95.ir/wp-content/themes/canary/assets/css/rtl.css>

Mobile

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 2.4MiB (99% reduction).

- Compressing and resizing http://naghashi95.ir/wp-content/uploads/2016/11/%DB%B2%DB%B0%DB%B1%DB%B6%DB%B1%DB%B1%DB%B2%DB%B0_%DB%B0%DB%B1%DB%B4%DB%B8%DB%B2%DB%B1.jpg could save 2.4MiB (99% reduction).
- Compressing <http://naghashi95.ir/wp-content/uploads/2017/06/instagram.jpg> could save 10.3KiB (81% reduction).
- Compressing <http://naghashi95.ir/wp-content/uploads/2017/06/telgram.jpg> could save 10.3KiB (85% reduction).

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://naghashi95.ir/wp-content/themes/canary/assets/css/responsive.css> (expiration not specified)
- <http://naghashi95.ir/wp-content/themes/canary/assets/css/rtl.css> (expiration not specified)
- <http://naghashi95.ir/wp-content/themes/canary/assets/fonts/BRoya.ttf> (expiration not specified)
- <http://naghashi95.ir/wp-content/themes/canary/assets/js/main.js> (expiration not specified)
- <http://naghashi95.ir/wp-content/themes/canary/style.css> (expiration not specified)
- <http://naghashi95.ir/wp-content/uploads/2016/08/cropped-%DB%B2%DB%B1%DB%B2%DB%B6%DB%B5%DB%B6-1024x384.jpg> (expiration not specified)
- <http://naghashi95.ir/wp-content/uploads/2016/08/cropped-%DB%B2%DB%B1%DB%B2%DB%B6%DB%B5%DB%B6.jpg> (expiration not specified)

Mobile

- <http://naghashi95.ir/wp-content/uploads/2016/08/painting.gif> (expiration not specified)
- http://naghashi95.ir/wp-content/uploads/2016/11/%DB%B2%DB%B0%DB%B1%DB%B6%DB%B1%DB%B1%DB%B2%DB%B0_%DB%B0%DB%B1%DB%B4%DB%B8%DB%B2%DB%B1.jpg (expiration not specified)
- <http://naghashi95.ir/wp-content/uploads/2017/06/instagram.jpg> (expiration not specified)
- <http://naghashi95.ir/wp-content/uploads/2017/06/telgram.jpg> (expiration not specified)
- <http://www.webgozar.com/counter/pic/stat5.gif> (expiration not specified)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 3.5KiB (12% reduction).

- Minifying <http://naghashi95.ir/wp-content/themes/canary/style.css> could save 3.5KiB (12% reduction).



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

90 / 100 User Experience

Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<button type="submit" class="search-submit...en-reader-text">Search</button>` and 1 others are close to other tap targets final.
- The tap target `۱۳۹۶-۰۵-۱۸ ۱۳۹۶-۰۵-۱۸` and 207 others are close to other tap targets final.
- The tap target `نظرات: ساختمان نقاشی` and 8 others are close to other tap targets final.

4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Mobile

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



25 / 100 Speed

! Should Fix:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Desktop](#)

[Enable compression](#) for the following resources to reduce their transfer size by 200.3KiB (75% reduction).

- Compressing <http://naghashi95.ir/> could save 97.1KiB (88% reduction).
- Compressing <http://naghashi95.ir/wp-includes/js/jquery/jquery.js?ver=1.12.4> could save 61.9KiB (65% reduction).
- Compressing <http://naghashi95.ir/wp-content/themes/canary/style.css> could save 23.6KiB (76% reduction).
- Compressing <http://naghashi95.ir/wp-includes/js/wp-emoji-release.min.js?ver=4.8.1> could save 7.4KiB (63% reduction).
- Compressing <http://naghashi95.ir/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1> could save 5.9KiB (60% reduction).
- Compressing <http://naghashi95.ir/wp-content/themes/canary/assets/css/rtl.css> could save 1.5KiB (68% reduction).
- Compressing <http://naghashi95.ir/wp-content/themes/canary/assets/css/responsive.css> could save 1.5KiB (67% reduction).
- Compressing <http://naghashi95.ir/wp-content/themes/canary/assets/js/main.js> could save 740B (62% reduction).
- Compressing <http://naghashi95.ir/wp-includes/js/wp-embed.min.js?ver=4.8.1> could save 647B (47% reduction).

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 2.4MiB (99% reduction).

- Compressing and resizing http://naghashi95.ir/wp-content/uploads/2016/11/%DB%B2%DB%B0%DB%B1%DB%B6%DB%B1%DB%B1%DB%B2%DB%B0_%DB%B0%DB%B1%DB%B4%DB%B8%DB%B2%DB%B1.jpg could save 2.4MiB (99% reduction).
- Compressing <http://naghashi95.ir/wp-content/uploads/2017/06/instagram.jpg> could save 10.3KiB (81% reduction).
- Compressing <http://naghashi95.ir/wp-content/uploads/2017/06/telgram.jpg> could save 10.3KiB (85% reduction).

Desktop

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://naghashi95.ir/wp-content/themes/canary/assets/css/responsive.css> (expiration not specified)
- <http://naghashi95.ir/wp-content/themes/canary/assets/css/rtl.css> (expiration not specified)
- <http://naghashi95.ir/wp-content/themes/canary/assets/fonts/BRoya.ttf> (expiration not specified)
- <http://naghashi95.ir/wp-content/themes/canary/assets/js/main.js> (expiration not specified)
- <http://naghashi95.ir/wp-content/themes/canary/style.css> (expiration not specified)
- http://naghashi95.ir/wp-content/uploads/2016/08/cropped-IMG_20160821_195239-1024x384.jpg (expiration not specified)
- http://naghashi95.ir/wp-content/uploads/2016/08/cropped-IMG_20160821_195239.jpg (expiration not specified)
- <http://naghashi95.ir/wp-content/uploads/2016/08/painting.gif> (expiration not specified)
- http://naghashi95.ir/wp-content/uploads/2016/11/%DB%B2%DB%B0%DB%B1%DB%B6%DB%B1%DB%B1%DB%B2%DB%B0_%DB%B0%DB%B1%DB%B4%DB%B8%DB%B2%DB%B1.jpg (expiration not specified)
- <http://naghashi95.ir/wp-content/uploads/2017/06/instagram.jpg> (expiration not specified)
- <http://naghashi95.ir/wp-content/uploads/2017/06/telgram.jpg> (expiration not specified)
- <http://www.webgozar.com/counter/pic/stat5.gif> (expiration not specified)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

Desktop

[Minify CSS](#) for the following resources to reduce their size by 3.5KiB (12% reduction).

- Minifying <http://naghashi95.ir/wp-content/themes/canary/style.css> could save 3.5KiB (12% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 3 blocking script resources and 4 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://naghashi95.ir/wp-includes/js/jquery/jquery.js?ver=1.12.4>
- <http://naghashi95.ir/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>
- <http://naghashi95.ir/wp-content/themes/canary/assets/js/main.js>

[Optimize CSS Delivery](#) of the following:

- <https://maxcdn.bootstrapcdn.com/font-awesome/4.5.0/css/font-awesome.min.css?ver=2.1.3>
- <http://naghashi95.ir/wp-content/themes/canary/style.css>
- <http://naghashi95.ir/wp-content/themes/canary/assets/css/responsive.css>
- <http://naghashi95.ir/wp-content/themes/canary/assets/css/rtl.css>



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).